

YARAGH AVARAN POOYA ENGINEERING COMPANY (YAP Co.)


PREPARED BY: KH.HOSSEINI

DATE: 1 JAN 2008

(REVISION ONE)

PAGE	DESCRIPTION
1/1-1/2	A-FRAMES
2/1-2/5	END CAPS+STOPPER+ WELDING JOINT
3/1-3/11	COUPLERS
4/1-4/3	EARTHING POINTS
5/1-5/5	SINGLE DUPLEX ELBOWS
6/1-6/12	TERMINALS
7/1-7/8	PARALLEL CLAMPS+ SPACERS
8/1-8/5	FLATBAR SUPPORTS
9/1-9/11	BUSBAR SUPPORTS+ CABLE SUPPORTS
10/1-10/10	T-CONNECTORS
11/1-11/9	EXPANSIONS
12/1-12/3	CORONA BELLS

A-Frames









Website: www.yap-co.com




A-Frames






Catalogue.No	D1	D2









Catalogue.No	D 1	D2
A3 D1 D2 02	(50250)	(50250)





- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



End Caps+Stopper+Welding Joint

TABLE OF CONTENTS	PAGE	
INTERNAL END CAPS	n. 2/2	
WITH DAMPING WIRE		
INTERNAL END CAPS WITHOUT DAMPING WIRE	2/2	
EXTERNAL END CAPS WITH DAMPING WIRE	2/3	
EXTERNAL END CAPS WITHOUT DAMPING WIRE	2/3	
STOPPER	2/4	
WELDING JOINT	2/5	












Website: www.yap-co.com




End Caps



Internal end cap without damping wire


Catalogue.No	D1
E3 D1 01	(50250)





Internal end cap with damping wire

Catalogue.No		
E3 D1 D2 01	(80250)	[(12-19)(36-42)]






- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com




End Caps



External end cap without damping wire


Catalogue.No	D1
E3 D1 02	(50250)
	<u> </u>







External end cap with damping wire

Catalogue.No	D1	D2
E3 D1 D2 02	(80250)	[(12-19)(36-42)]







Note:


- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com

E-mail: info@yap-co.com



Stopper





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



Welding Joint





Note:

- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.

E3 D1 04

-All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



(50......250)


Couplers


STRAIGHT COUPLERS (WIRE/STUD) TO WIRE	3/2
STRAIGHT COUPLERS FUBE TO (WIRE/STUD)	3/3
STRAIGHT COUPLERS TUBE TO TUBE	-3/4
VERTICAL COUPLERS (WIRE/STUD) TO WIRE	3/5
VERTICAL COUPLERS TUBE TO (WIRE/STUD)	3/6
VERTICAL COUPLER+ANGLE COUPLER TUBE TO TUBE	3/7
SINGLE (DUPLEX/TRIPLEX) COUPLERS (WIRE/STUD) TO (TWO/THREE) WIRES	3/8-3/9
SINGLE (DUPLEX/TRIPLEX) COUPLERS TUBE TO (TWO/THREE) WIRES	3/10-3/11

Website: www.yap-co.com




Straight Couplers






Wire to (wire/stud)

Catalogue.No	D1	D2
G1 D1 D2 01	[(12-19)(36-42)]	[(12-19)(36-42)]








Catalogue.No	D1	D2
G2 D1 D2 01	[(12-19)(36-42)]	[(12-19)(36-42)]





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com


E-mail: info@yap-co.com





Straight Couplers











											٠	٠																
Tube	1	ŀ	ĺ	ì	i	i	ĺ	r.:	١	7	ý	i	1	r	i	ė	į	1	•	1	ŀ	i	Ì	Ė	Ė	ł	•	Ì

Catalogua No	D1	D2
Catalogue.ino		
G2 D1 D2 02	(50250)	[(12-19)(36-42)]






Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com



Straight Couplers




Tube to tube





Catalogue.No	D1	D2
G3 D1 D2 01	(50250)	(50250)












Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com




Vertical Couplers




Wire to (wire/stud)










Catalogue.No	D1	D2
G2 D1 D2 03		[(12-19)(36-42)]





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com


E-mail: info@yap-co.com




Vertical Couplers



Tube to (wire/stud)








Tube to (wire/stud)

Catalogue.No	D1	D2
G1 D1 D2 04	(50250)	[(12-19)(36-42)]





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com


E-mail: info@yap-co.com




Vertical Coupler+Angle Coupler











Angle coupler (tube to tube)


Catalogue No	D1	D2
G3 D1 D2 04	(50250)	


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com








(Wire/stud) to two wires

Catalogue.No	D1	D2	D3
G1 D1 D2 05	[(12-19)(36-42)]	[(12-19)(36-42)]	(100 or 200)



(Wire/stud) to three wires


	D1	D2	
G1 D1 D2 06	[(12-19)(36-42)]	[(12-19)(36-42)]	(100 or 200)

Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com








Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com








Tube to two wires

Catalogue.i to	D1	D2	D3
G1 D1 D2 07	(50250)	[(12-19)(36-42)]	(100 or 200)



Tube to three wires

Catalogue.No	D1 D2	D3
G1 D1 D2 08	(50(36-42)]	(100 or 200)


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com







Notes:

-The full specifications of all items is found in enclosed.

D1

(50.....250)

-All dimensions are in mm.

Website: www.yap-co.com

Tube to three wires

Catalogue.No

G2 D1 D2 08

E-mail: info@yap-co.com



Yaragh Avaran Pooya(Y.A.P)


D2

[(12-19)....(36-42)]

D3

(100 or 200)

Earthing Points










Website: www.yap-co.com



Earthing Points







Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com

E-mail: info@yap-co.com




Earthing Points





. * * •	** 11	C
		two wir

Catalogue.No	D1	D2
H3 D103	[(12-19)(30-42)]	(100 or 200)



For three wires

Catalogue.No	D1	D2
H3 D104	[(12-19)(36-42)]	(100 or 200)

Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



TABLE OF CONTENTS	PAGE
SINGLE (DUPLEX/TRIPLEX) ELBOWS (WIRE/STUD) TO (TWO/THREE) WIRES	5/2
SINGLE (DUPLEX/TRIPLEX) ELBOWS WIRE/STUD) TO (TWO/THREE) WIRES	5/3
SINGLE (DUPLEX/TRIPLEX) ELBOWS TUBE TO (TWO/THREE) WIRES	5/4
SINGLE (DUPLEX/TRIPLEX) ELBOWS TUBE TO (TWO/THREE) WIRES	5/5











Website: www.yap-co.com








(Wire/Stud) to two wires

Catalogue.No	D1	D2	D3
K1 D1 D2 01	[(12-19)(36-42)]	[(12-19)(36-42)]	(100 or 200)



(Wire/Stud) to three wires

Catalogue.No			D3
		1955 - 2801111999119991	
K1 D1 D2 02	[(12-19)(30-42)]	[(12-19)(36-42)]	


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com








Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com








Tube to two wires

Catalogue.No	D1	D2	D3
K1 D1 D2 03	(50250)	[(12-19)(36-42)]	(100 or 200)
	L	L	



Tube to three wires


Catalogue.No	D1	D2	
K I I) I I) / () //	(50250)	[(12-19) (36-42)]	(100 or 200)


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com







Tube to three wires

Catalogue.No	 T 0	D3
K2 D1 D2 04		(100 or 200)

Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com




Terminals

TABLE OF CONTENTS	PAGE
FLAT TERMINALS (TUBE/WIRE/STUD) TO PAD	6/2
VERTICAL TERMINALS TUBE/WIRE/STUD) TO PAD	6/3
SIDE TERMINALS TUBE/WIRE/STUD) TO PAD	6/4
FLAT TERMINALS (TWO/THREE) WIRES TO PAD	6/5-6/6
	2/7 2/8
VERTICAL TERMINALS TWO/THREE) WIRES TO PAD	6/7-6/8
VERTICAL SIDE TERMINALS (TWO/THREE) WIRES TO PAD	6/9-6/10
FLAT TERMINALS (90°)	6/11-6/12

Website: www.yap-co.com




Flat Terminals









Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.


Website: www.yap-co.com

E-mail: info@yap-co.com



Vertical Terminals






- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com










Side Terminals










Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com



Flat Terminals







Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com








⁻All dimensions are in mm.


Website: www.yap-co.com



⁻For ordering of relative terminal plates, please refer to annex-b.

Vertical Terminals





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.


Website: www.yap-co.com

E-mail: info@yap-co.com



Vertical Terminals





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.


Website: www.yap-co.com

E-mail: info@yap-co.com



Vertical Side Terminals





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com

E-mail: info@yap-co.com




Vertical Side Terminals






Pad to two wires

Catalog	ue.No	Ι	D1	D2	
L2 22 D	1 02	[(12-19)	(36-42)]	(200)	





Pad to three wires

Catalom	ıa Na			D2
Catalogi				172
	03	[(12-19)(3	6-42)1	(200)
		• . T. i i		· · · · · · · · · · · · · · · · · · ·


Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com



Flat Terminals (90°)






Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com



Flat Terminals (90°) Flat to two wires D2 Catalogue.No D1 L2 00 D1 04 [(12-19)...(36-42)] (100 or 200) Flat to three wires D1D2 Catalogue.No **Notes:** L2 00 D1 05 [(12-19)....(36-42)] (100 or 200)



⁻All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



⁻For ordering of relative terminal plates, please refer to annex-b.

Parallel Clamps+Spacers

PARALLEL CLAMPS		7/2
(TWO/FOUR) WIRES		.,_
PARALLEL CLAMPS		7/3
(TWO/THREE) WIRES		
PARALLEL CLAMPS		7/4
TUBE TO (ONE/TWO) WIRES		
PARALLEL CLAMPS		7/5
TUBE TO (ONE/TWO) WIRES		
SINGLE DUPLEX PARALLEL ((TUBE/WIRE) TO TWO WIRES	JLAMP	7/6
SINGLE DUPLEX PARALLEL (CLAMP	7/6
(TUBE/WIRE) TO TWO WIRES		
		- /-
SPACERS (TWO/THREE/FOUR) WIRES		7/7
		7/7
















Website: www.yap-co.com


E-mail: info@yap-co.com







Two wires

Catalogue.No	D1
P1 D1 01	[(12-19)(36-42)]







Four wires

Catalogue.No	D1	D2
	[(12-19)(36-42)]	(100 or 200)


Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com










Catalogue.No	D1	T)2
P2 D1 01	[(12-19)(36-42)]	(100 or 200)
	L	



	٦													


O 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TNA
	102
D2 D1 02	(100 - 200)
P2 D1 02 [(12-19)(36-42)]	(100 or 200)


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com








-The full specifications of all items is found in enclosed.

Website: www.yap-co.com




⁻All dimensions are in mm.





Tube to wire

Catalogue No		1	D2	
P2 D1 D2 01	(50	250)	[(12-19)(36	5-42)]
		-		



Tube to two wires

Catalogue.No	D1 D2	D3
P2 D1 D2 02	(50(36-42)]	(100 or 200)

Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



Single Duplex Parallel Clamps








Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com



Spacers






- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com



Spacers






- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com




Vertical Support For Cu. Fix Flatbars With Fixing Stud 8/2 SINGLE & DOUBLE Vertical Square Support For Cu. Fix Flatbars 8/3 SINGLE & DOUBLE Support For Union Cu. Flatbars And Cu. Flatbars Tap 8/4 SINGLE & DOUBLE Vertical Square Support For Cu. Fix Flatbars 8/5 SINGLE & DOUBLE




Website: www.yap-co.com





Single Flat

Catalogue.No	A	ВС	D*	Clamping T	orque	(kg.m)
SFTS-60M12 SFTS-80M12 SFTS-100M12 SFTS-120M12	60 80 100	50 60 70 80 90 80	M12 M12 M12 M12	2 3 3 3		
31 13-120W112	120	110 88		ي .		



Double Flat


Catalogue.No	Α	В	С	D*	Clamping Torque (kg.m)
SFTD-60M12 SFTD-80M12	60	50	60	M12	2
SFTD-100M12	100	90	80	M12	3
SFTD-120M12	120	110	88	M12	5


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -The material of clamps is bronze.


Website: www.yap-co.com

E-mail: info@yap-co.com










Catalogue.No	A	В	С	ØD	ØΕ	ØF	Clampi	ng Torque (kg.m)
SFTSP-12076 SFTSP-60127	60 80 100 120 60 80 100 120	80 100 120 140 80 100 120 140	60 80 80 88 60 80 80	110 110 110 110 160 160 160	76 76 76 76 127 127 127 127	14 14 14 14 18 18 18		2 3 3 3 5 5 2 3 3 3 3 3 3 3 3 3 3 3 3 3
						_		




Catalogue.No	A	В	С	ØD	ØE	ØF	Clamping Torque (kg.m)
SFTDP-6076	60	80	60	110	76	14	2
SFTDP-8076	80	100	80	110	76	14	3
SFTDP-10076	100	120	80	110	76	14	3
SFTDP-12076	120	140	88	110	76	14	5
SFTDP-60127	60	80	60	160	127	18	2
SFTDP-80127	80	100	80	160	127	18	3
SFTDP-100127	100	120	80	160	127	18	3
SFTDP-120127	120	140	88	160	127	18	5


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -The material of clamps is bronze.


Website: www.yap-co.com

E-mail: info@yap-co.com












Catalogue.No	A B		Clamping Torque	(kg·m)
SFQS-50 SFQS-60 SFQS-80 SFQS-100 SFQS-120	50 87 60 98 80 118 100 147 120 176	87 98 118 147 176	2 3 3 3 5 2	
		and the last terminal	and the territories and the territories are	






Catalogue.No	A	В	С	D	Clamping Torque (kg.m)
SFQD-50 SFQD-60	50 60	50 60	87 98	87 98	2 3
SFQD-80 SFQD-100 SFQD-120	80 100 120	100 120	118 147 176	118 147 176	5. 2


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -The material of clamps is bronze.


Website: www.yap-co.com

E-mail: info@yap-co.com












Single Flat

Catalogue.No	A	В	С	ØD	ØΕ	ØF	Clamp	ing Torque (kg.m)
SFQSP-6076 SFQSP-8076 SFQSP-10076 SFQSP-12076 SFQSP-60127 SFQSP-80127 SFQSP-100127 SFQSP-120127	60 80 100 120 60 80 100 120	80 100 120 140 80 100 120 140	60 80 80 88 60 80 80	110 110 110 110 160 160 160 160	76 76 76 76 127 127 127 127	14 14 14 14 18 18 18		2 3 3 5 5 2 3 3 3








Double Flat

A	В	С	ØD	ØE	ØF	Clamping Torque (kg.m)
.60	80	60	110	76	14	2
80	100	80	110	76	14	3
100	120	80	110	76	14	3
120	140	88	110	76	14	5
60	80	60	. 160	127	18	2
80	100	80	160	127	18	3
100	120	80	160	127	18	3
120	140	88	160	127	18	5
	A 60 80 100 120 60 80 100 120	80 100 100 120	60 80 60 80 100 80 100 120 80	60 80 60 110 80 100 80 110 100 120 80 110 120 140 88 110	60 80 60 110 76 80 100 80 110 76 100 120 80 110 76 120 140 88 110 76	60 80 60 110 76 14 80 100 80 110 76 14 100 120 80 110 76 14 120 140 88 110 76 14



Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -The material of clamps is bronze.

Website: www.yap-co.com

E-mail: info@yap-co.com




Busbar Supports+Cable Supports

TABLE OF CONTENTS	PAGE	
STRAIGHT COUPLER BUSBAR SUPPORTS	9/2	
TUBE TO TUBE (FIX & SLIDE)		
STRAIGHT COUPLER BUSBAR SUPPORTS UBE TO (ONE/TWO/THREE) WIRES	9/3-9/4	
T-CONNECTOR BUSBAR SUPPORTS UBE TO (ONE/TWO/THREE) WIRES	9/5-9/6	
T-CONNECTOR BUSBAR SUPPORTS UBE TO TUBE	9/7	
BUSBAR SUPPORTS FIX & SLIDE	9/8	88
BUSBAR SUPPORT EXPANSIONS X & SLIDE	9/9	
CABLE SUPPORTS IORIZONTAL	9/10	
CABLE SUPPORTS /ERTICAL	9/11	

Website: www.yap-co.com




Straight Coupler Busbar Supports





Fix support

Catalogue.No	D1 D2	
	(50250) (502	50)





Slide support

Catalogue.No	D1	D2
S3 D1 D2 02	(50250)	(50250)
		h::

Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.


Website: www.yap-co.com

E-mail: info@yap-co.com



Straight Coupler Busbar Supports





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.


Website: www.yap-co.com


E-mail: info@yap-co.com



Straight Coupler Busbar Support







Tube to wire

Catalogue.No	D1	D2
S1 D1 D2 03	(50250)	[(12-19)(36-42)]

Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com

E-mail: info@yap-co.com



T-Connector Busbar Supports





Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.


Website: www.yap-co.com


E-mail: info@yap-co.com



T-Connector Busbar Support







Tube to wire

Catalogue.No	D1	D2
S1 D1 D2 06	(50250)	[(12-19)(36-42)]


Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.


Website: www.yap-co.com




T-Connector Busbar Supports





Fix clamp



Catalogue.No	D1	D2
S3 D1 D2 03	(50250)	(50250)







Sinde clamp		
Catalogue.No	D1	
S3 D1 D2 04	(50250)	



Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com

E-mail: info@yap-co.com



Busbar Supports








Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com




Busbar Support Expansions








Catalogue.No	D1	T\0
S3 D1 D2 05	(50250)	(50,250)





Slide support

Catalogue.No D1	D2
	and the second control of the contro
	(50250)

Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com

E-mail: info@yap-co.com









Cable Supports

2

Catalogue.No D1 D2 S3 22 D1 01 [(12-19)...(36-42)] (100 or 200)








Double horizontal cable support

Triple horizontal cable support


Catalogue.No	D1	
		(100 or 200)






Single horizontal cable support

Catalogue,No	D1
S1 11 D1 01	[(12-19)(36-42)]





Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.


Website: www.yap-co.com




Cable Supports


Double vertical cable support

Catalogue.No		D2
S3 22 D1 02	[(12-19)(36-42)]	(100 or 200)












Catalogue.No	D1	
S3 33D1 02	[(12-19)(36-42)]	(100 or 200)





Single vertical cable support

Catalogue.No	D1
S1 11 D1 02	[(12-19)(36-42)]





Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com

E-mail: info@yap-co.com




T-Connectors

T-CONNECTORS (WIRE/STUD) TO (WIRE/STUD)	10/2	
T-CONNECTORS TUBE TO (WIRE/STUD)	10/3	
T-CONNECTOR TUBE TO TUBE	10/4	
(DOUBLE/TRIPLE) T-CONNECT TUBE TO (TWO/THREE) WIRES	TORS 10/5-10/6	
TUBE TO (TWO/THREE) WIRES (DOUBLE/TRIPLE) T-CONNECT		
TUBE TO (TWO/THREE) WIRES		
TUBE TO (TWO/THREE) WIRES (DOUBLE/TRIPLE) T-CONNECT (WIRE/STUD) TO (TWO/THREE) WIRES	TORS 10/7-10/8	
TUBE TO (TWO/THREE) WIRES (DOUBLE/TRIPLE) T-CONNECT	TORS 10/7-10/8	
TUBE TO (TWO/THREE) WIRES (DOUBLE/TRIPLE) T-CONNECT (WIRE/STUD) TO (TWO/THREE) WIRES SINGLE DUPLEX T-CONNECTO	TORS 10/7-10/8	
















Website: www.yap-co.com



T-Connectors









Catalogue.No	D1	D2
T1 D1 D2 01	[(12-19)(36-42)]	[(12-19)(36-42)]







^	W	/ir	e	SI	n	ď)	te	•	w	ir	e/	st	u	ď	١

Catalogue.No	D1	D2
T2 D1 D2 01	[(12-19)(36-42)]	[(12-19)(36-42)]



Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com


E-mail: info@yap-co.com




T-Connectors









Catalogue.No	D1	D2
T1 D1 D2 02	(50250)	[(12-19)(36-42)]




Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com



T-Connector







Tube to tube

Catalogue.No	D1	D2
T3 D1 D2 01	(50250)	(50250)

Notes:


-The full specifications of all items is found in enclosed.

-All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com









- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com


E-mail: info@yap-co.com







Catalogue.No	D1	D2	D3
T2 D1 D2 03	(50250)	[(12-19)(36-42)]	(100 or 200)



Tube to three wires

Catalogue.No	D1 D2	D3
T2 D1 D2 04	(50(36-42)]	(100 or 200)


Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com

E-mail: info@yap-co.com










Catalogue.No	D1	D2	D3
T1 D1 D2 05	[(12-19)(36-42)]	[(12-19)(36-42)]	(100 or 200)





(Wire/stud) to three wires

T1 D1 D2 06	[(12-19)(36-42)]	(100 or 200)

Notes:


-The full specifications of all items is found in enclosed.


-All dimensions are in mm.


Website: www.yap-co.com

E-mail: info@yap-co.com










Catalogue.No	D1	D2	D3
T2 D1 D2 05	[(12-19)(36-42)]	[(12-19)(36-42)]	(100 or 200)



(Wire/stud) to three wires

Catalogue.No	D1 D2	D3
T2 D1 D2 06	[(12-19)(36-42)] [(12-19)(36-42)]	(100 or 200)

Notes:

-The full specifications of all items is found in enclosed.


-All dimensions are in mm.

Website: www.yap-co.com





Single Duplex T-Connectors







Notes:


- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.


Website: www.yap-co.com

E-mail: info@yap-co.com



Single Duplex T-Connectors







Notes:

- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com




Expansions

TABLE OF CONTENTS	PAGE
Expansion Couplers (With Support) TWO/FOUR) WIRES	11/2
Expansion Couplers (Without Support) TWO/FOUR) WIRES	11/3
Expansion Vertical Connectors (63/132 KV) (TWO/FOUR) WIRES	11/4
Expansion Vertical Connectors (230/400 KV) (TWO/FOUR) WIRES	11/5
Expansion Flat Terminals (TWO/FOUR) WIRES	11/6
Expansion Flat Terminals<90°> (TWO/FOUR) WIRES	11/7
Expansion Vertical Terminals (TWO/FOUR) WIRES	11/8
Stepped Expansion Terminals (TWO/FOUR) WIRES	11/9

Website: www.yap-co.com



Expansion Couplers (With Support)






- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative busbar plates, please refer to annex-c.

Website: www.yap-co.com



Expansion Couplers (Without Support)





Note:


- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com



Expansion Vertical Connectors






Note:

- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com



Expansion Vertical Connectors






Note:

- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com








- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com








Note:

- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com








- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com







- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.
- -For ordering of relative terminal plates, please refer to annex-b.

Website: www.yap-co.com




Corona bells


TABLE OF CONTENTS	PAGE
INTERNAL CORONA BELLS WITH DAMPING WIRE	12/2
INTERNAL CORONA BELLS WITHOUT DAMPING WIRE	12/2
EXTERNAL CORONA BELLS WITH DAMPING WIRE	12/3
EXTERNAL CORONA BELLS WITHOUT DAMPING WIRE	12/3

Website: www.yap-co.com




Corona Bells







With damping wire

Catalogue.No		D2
X3 D1 D2 01	(802.	50) [(12-19)(36-42)]








without damping wire

Catalogue.No	D1
X3 D1 01	(50250)



Note:


- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com





Corona Bells





The second secon	make the test seaments as as as assessed	and the real factors and the real factors are the second
Catalogue.No	D1	D2
X3 D1 D2 02	(80250)	[(12-19)(36-42)]







without damping wire

Catalogue.No	D1
X3 D1 02	•

Note:

- -It is necessary to specify the tube thickness.
- -The full specifications of all items is found in enclosed.
- -All dimensions are in mm.

Website: www.yap-co.com

E-mail: info@yap-co.com





Website: www.yap-co.com



Clamping Range Codes

Note:

To facilitate ordering of the clamps, the clamping data are given in the following range codes.


Ranges (mm)	Ø(12-19)	Ø(19-27)	Ø(26-33)	Ø(32-37)	Ø(36-42)	Ø(30)	Ø(32)	Ø(40)	Ø(42)
Code No.	00	01	02	03	04	30	32	40	42
Ranges (mm)	Ø(50)	Ø(60)	Ø(62)	Ø(80)		Ø(120)		Ø(200)	Ø(250)
Code No.	50	60	62	80	10	12	16	20	25

Example 1:

Upper A-Frame connector, 30°, tube diameter 100/80,(400kv).




Catalogue.No	D1 D2
A3 10 80 01	100 80




Example 2:

T-Clamp for connection AL tube 80/6 to 2*400 Sqmm AASC.(132kv).

T-connector tube to two wire (132kv)						
Catalogue.No	D1	D2	D3			
T1 80 01 03	80	01	100			





Note:

-All dimensions are in mm.

Website: www.yap-co.com


E-mail: info@yap-co.com




Guide To The Selection Of Terminal Plates

Note:

All kinds of terminal plates can be ordered through Annex-B, which is shown below.



Example:



Note:

-All dimensions are in mm.

100 Type-T5 Type-T6 Type-T7

Website: www.yap-co.com

E-mail: info@yap-co.com



Yaragh Avaran Pooya(Y.A.P)

Type-T1

Type-T2

Type-T3


Type-T4

Guide To The Selection Of Busbar Plates

Note:

All kinds of busbar plates can be ordered through Annex-C, which is shown below.

Due to its effectiveness is recommended, to use 8holes eliptic.




8ר18


Example:

Note:

Tube support on post insulator, fix type, tube diameter 80mm, pitch circle 127mm, plate diameter 160mm,8holes eliptic Ø18mm (400kv).




-All dimensions are in mm.





Type-B1



Type-B2



Type-B3



Type-B4



Type-B5

Website: www.yap-co.com

E-mail: info@yap-co.com



Yaragh Avaran Pooya(Y.A.P)

View M